
MODERN STEEL* garage doors



America's Favorite Garage Doors®



MODERN STEEL™ garage doors

Modern Steel™ garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint, Ultra-Grain® and Lustra™ finishes to create the perfect look for your home.





AVAILABLE WITH





WARMER

Energy efficiency provides year-round comfort



QUIETER


Dense insulation reduces noise by up to 16 decibels



STRONGER

Enhanced strength resists everyday wear and tear

MODEL AVAILABILITY



DOOF	R DI	ES	IGI	VS.				,	<u> </u>	3-L	AYER				2-L/	AYER	1-L/	AYER	
Door design examples shown at 9' wide × 8' high Available window options listed below model number (See back cover for examples of window options)							2" Polyureth	hane	1-3/8" Polyurethane		Poly	2" onded ystyrene	Bor Polys	1-3/8" Bonded Polystyrene		1-5/16" Polystyrene 6.3 R-value		Non-Insulated	
MODERN FLUSH							18.4 R-va	alue	12.9 R-	value	9.0	R-value	6.5 R	-value	6.3 R	-value			
MOI	JSH									ted using 2			on heights						
							9202	2	913	32	4	4302	41	32					
Solid	Win	ndow Se	ections		Woodgra	in	Contempo Window		Contemp Windo	oorary		temporary /indows		mporary dows					
MODERN FLUSH										Door	constru	cted usina	21" and 18"	section h	eiahts				
MODELINTEGRI							Door constructed using 21" and 18" section heights									405	-		
							9201	1	913	31	4	4301	40)51		12F uge Steel)		10F 4F	
Solid	Win	ndow Se	ections		Woodgra	in	Contempo and Decora Window	ative	Contemp and Deco Windo	orative	and	temporary Decorative /indows		orative dows		orative ndows	(24 Gai	uge Steel) orative ndows	
					vvoodgra	111					netructe	ed usina 24		'8" section	n heights				
MODERN FLUSH															i neights				
							9208	3	913	8	4	4308	41	38					
Solid	Conten	nporary	/ Windo)WS	Stucco*	*†	Contempo and Slir Window	m	Contem _i Windo	orary	a	temporary nd Slim /indows	Conter Win	mporary dows					
MODE	GRO	OVE	D			Door constructed using 24", 21" and 18" section he													
						8	9205	-				4305							
Solid	Win	ndow Se	ections		Stucco		Contempo Window	orary vs			Con W	temporary /indows							
MODE	GRO	OVE	D			Door constructed using 24" and 21" section heights													
							9209	9	913	9	4	4309							
Solid	Conten	nporary	/ Windo	ows	Stucco'	*†	Contempo and Slir Window	m	Contemp		a	temporary nd Slim /indows							
				100	Otabbo														
COLOR AVAILABILITY	Standard White	Almond	Desert Tan	Sandtone	Bronze C	hocolate	e Brown G	unter ireen Gra	Charcoal	Black		Lustra™ Lus narcoal Silv	tra™ Ultra-Grain' Cypress Ver Medium	Ultra-Grain Cypress Cherry	Ultra-Grain Cypress Walnut	Ultra-Grain Cypress Slate	Ultra-Grain [©] Plank Kona	Ultra-Grain® Plank Coastal Gray	
9202, 9205	•	•	•	•		•				•					•	•			
9208	•	•	•	•	•	•	•		•	•	•				•		•	•	
9209	•	•	•	•	•	•	•	•	•	•	•		•	•		•			
9201	•	•	•	•	•	•	•	•	•	•									
9132, 9138, 9139	•	•	•	•	•	•	•		•	•			•	•	•	•			
9131	•	•	•	•	•	•	•		•	•									
4302, 4305, 4308, 4309	•	•	•	•	•	•	•	•	•	•			•	•	•	•			
4301	•	•	•	•	•	•	•	• •		•									
4132	•	•	•	•	•	•	•	•	•	•			•	•	•	•			
4051 4138	•	•		•	•	:				•									
4138 T42F, T40F					•		-			-									
4F	-	-		-															
0.1.1.1.1.1.1					W D46	2444 TD	0.400.5												

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4. *Exterior steel surface on Ultra-Grain® Cypress finish doors has a woodgrain texture on Modern Steel™ garage doors. †Exterior steel surface on a Lustra™ finish door has a smooth texture on Modern Steel™ garage doors.

STANDARD COLORS



- Exterior steel on standard color doors will have either a stucco or woodgrain texture depending upon model chosen (see chart on page 3 for details).
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

*Additional charges apply.

Due to the printing process, colors may vary. See your Clopay Dealer for color samples. Not all colors available on all models. See previous page for complete color availability.

ULTRA-GRAIN® FINISH









Cypress Cypress Medium Finish Cherry Finish Walnut Finish

Cypress

Cypress Slate Finish

- Painted steel surface simulates a stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal for an authentic, natural look.
- Available in Cypress Medium, Cherry, Walnut or Slate finishes that complement entry doors, shutters and other exterior stained wood products.
- Exterior steel surface on all Modern Steel[™] Ultra-Grain[®] finish doors have a woodgrain texture to create a more natural appearance.
- Window frames, grilles and inserts are a solid color to coordinate with Ultra-Grain® finishes.

Due to the printing process, colors may vary. Not all colors available on all models. See previous page for complete color availability. Additional charges apply.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

LUSTRA™ FINISH







Black

Charcoal

Silver

Lustra™ finished garage doors feature a Black or Charcoal matte look, while Silver has a brushed metallic look. Door exterior has a smooth textured steel surface.

- These modern doors feature thick 24 gauge surface steel.
- Lustra[™] doors were designed to be paired with narrow modern windows for a truly modern look.
- Lustra[™] finished doors cannot be painted.

Due to the printing process, colors may vary. Not all colors available on all models. See previous page for complete color availability. Additional charges apply.

UITRA-GRAIN® PLANK





Kona Finish

Coastal Gray Finish

- Available in Kona or Coastal Gray finishes that complement mid-century, farmhouse, coastal cottage and transitional home styles.
- Exterior steel surface has a wood-look plank design that runs horizontal, with clear and simple lines.
- Optional windows available in color matched frames or as a standout in Silver and Black accent colors.

Due to the printing process, colors may vary. Not all colors available on all models. See previous page for complete color availability. Additional charges apply.



ADDITIONAL FEATURES

- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Color-matched exterior step plate/lift handles are durable and allow for safe opening and closing of your door.
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).
- See your Clopay Dealer for WINDCODE® door availability.
 For additional information about how to care for and maintain your door,
 visit: www.clopaydoor.com/residential/support

HEAVY-DUTY HARDWARE



2" thick polystyrene doors and all Intellicore® insulation doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

WARRANTIES







RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

GREATER ENERGY EFFICIENCY




Thermal break* separates the interior from the exterior skin to improve energy efficiency and comfort.

*Thermal break is not present on 4051, 2-layer and 1-layer models.

ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:


- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations



CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. **Note: Window configurations are described from inside the garage looking out.**

Example: Windows down right side (from inside garage looking out)



View from Inside Garage



View from Outside Garage

POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors utilize 24" and 21" section heights, allowing for the window options shown.

Contemporary window configurations are available in many design options and include short, long or slim windows in each section, down one side or in all sections. For doors with multiple window sections, the window locations must be the same in every section.

The images below are illustrated from outside the garage. Important Note: The ordering codes listed below are from the inside of the garage looking out, as explained on the previous page. See your Clopay dealer for more details.

The illustrations shown below show window (glazed) and/or no window (solid) locations.

SOL=Solid (no window) location GL=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:





Obscure





Narrow Reed

Frosted


Other glass types and custom glass are available. Slim window designs available only with insulated clear tempered and insulated frosted tempered glazing options.

See your Clopay Dealer for details.

SHORT WINDOW **CONFIGURATIONS** (Viewed from outside)



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4




SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4



SOL-GL Sections: 1, 2, 3, 4




SOL-SOL-SOL-GL Sections: 1, 2, 3, 4








SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4




LONG WINDOW

CONFIGURATIONS

(Viewed from outside)


GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-GL Sections: 3, 4



GL-GL-SOL-SOL-SOL-GL-GL Sections: 3, 4



GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 3, 4




GL-GL



GL-GL-GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL-GL-GL Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4

WINDOW OPTIONS


Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS -

These windows are from Clopay's Contemporary/Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are 19-1/2" \times 16" and long windows are 42" \times 16".



^{*}Models available only with plain, rectangular grille and square grille windows. †Ultra-Grain® Plank and Lustra™ finishes available only with plain windows





Trenton^o

Kristin®

Short

Clayton™

Short

Trenton® Long

Kristin® Long

Clavton™ Long

CONTEMPORARY SLIM WINDOWS

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" × 8" with aluminum frames available in powder coated silver or black.



Windows are available insulated in both clear and frosted tempered glass.



DECORATIVE INSERT SERIES WINDOWS -

UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are offered in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" × 12" and long windows are 40-1/2" × 12".



† Shown with clear glass.

‡Sunset windows not available on Ultra-Grain® finish doors.

Additional charges for optional glass apply

Acrylic windows require special cleaning. See care and maintenance manual.

Windows are available single pane or insulated in clear, frosted, obscure and rain designs. Clear acrylic also available.









Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on

















© 2024 Clopay Corporation. All rights reserved.

RSDR-MODERNSTEELSS-15 REV0424